



Fast-track Power Automate

Sample manual - first two chapters



Wise Owl
Training

TABLE OF CONTENTS (1 of 6)

1	GETTING STARTED	Page
1.1	What is Power Automate?	8
1.2	Power Automate vs Power Automate Desktop	9
1.3	Licensing Requirements	10
1.4	Logging on to Power Automate	11
1.5	Environments and Flows	12
	<i>Choosing an Environment</i>	12
	<i>Listing Flows</i>	12

2	WORKING WITH FLOWS	Page
2.1	Creating Flows	13
	<i>Types of Flow</i>	14
	<i>Adding Steps (Actions)</i>	14
	<i>Configuring an Action</i>	15
	<i>Expanding and Collapsing the Action Bar</i>	15
	<i>Adding Dynamic Content</i>	15
	<i>Finding Parts of a Flow</i>	17
	<i>Saving your Flow</i>	17
	<i>Exiting Flows</i>	17
2.2	Testing and Running Flows	18
	<i>Testing Flows</i>	18
	<i>Re-testing Flows</i>	19
	<i>Running Flows</i>	19
	<i>Checking Flows</i>	19
2.3	Viewing and Editing Flows	20
2.4	Improving Flow Readability	21
	<i>Renaming Actions</i>	21
	<i>Adding Notes</i>	22
2.5	Working with Flows	23
	<i>Viewing Actions' Code</i>	23
	<i>Disabling Flows (but not Actions)</i>	23
	<i>Copying Actions</i>	24
	<i>Copying Flows</i>	24
	<i>Deleting Flows</i>	25

3	THE CLASSIC FLOW DESIGNER	Page
3.1	The Two Flow Designers	26
3.2	Switching between Designers	27
3.3	Using the Classic Flow Designer	28
	<i>Adding Actions</i>	28
	<i>Deleting and Renaming Actions</i>	29
	<i>Adding Notes</i>	29
3.4	Features not Carried Through	30
	<i>When you Need the Classic Flow Designer</i>	30
	<i>Undo and Redo</i>	30
	<i>Comments</i>	31
	<i>Format by Example</i>	31

4	TRIGGERS AND TEMPLATES	Page
4.1	Our Example Automated (Triggered) Flow	32
4.2	Creating Automated Flows from Scratch	33
4.3	Creating Automated Flows using Templates	34
	<i>Finding the Right Template</i>	34
	<i>Tweaking your Template</i>	35
4.4	Creating Flows using Copilot	36

5	TESTING AND DEBUGGING	Page
5.1	Testing Flows	37
5.2	Inputs and Outputs	38
	<i>Capturing Outputs - the Compose Action</i>	38
	<i>Seeing Inputs and Outputs</i>	39
	<i>Raw Inputs and Outputs</i>	39
5.3	Viewing JSON Code	40
5.4	Writing to Text Files	41
5.5	Dealing with Flow Failures	42
	<i>Viewing Error Messages</i>	42
	<i>Showing Full Error Details</i>	43

TABLE OF CONTENTS (2 of 6)

6	PROGRAMMING CONCEPTS	Page
6.1	Overview	44
	<i>Our Example</i>	44
6.2	Simple Variables	45
	<i>Initialising Variables</i>	45
	<i>The Types of Variables</i>	46
	<i>Variable Actions</i>	46
	<i>Referencing Variables in Flows</i>	47
	<i>Debugging Variables</i>	47
6.3	Array Variables	48
	<i>Outline Flow Actions for our Example</i>	48
	<i>Getting our List of Files - OneDrive</i>	49
	<i>Getting our List of Files – SharePoint</i>	50
6.4	Using Scope to Group Actions	51
	<i>Adding a Scope Action</i>	51
	<i>Tidying Things Up</i>	52
6.5	Parallel Branches	53
	<i>Creating Parallel Branches</i>	53
	<i>Reuniting Parallel Branches in the New Flow Designer</i>	54
	<i>Reuniting Parallel Branches in the Old Flow Designer</i>	54
6.6	Basic Expressions	54
6.7	Single Conditions - If	56
	<i>Setting the Condition</i>	56
	<i>Reacting to Condition Results</i>	56
	<i>Testing Conditions</i>	56
	<i>Terminating Flows Early</i>	57
	<i>The Terminate Action</i>	58
6.8	Multiple Conditions – Switch	59
	<i>Finding the Difference between our File Counts</i>	59
	<i>Creating a Switch Action</i>	59
	<i>Configuring your Switch Action</i>	60

7	WORKING WITH ARRAYS	Page
7.1	Creating Arrays	61
	<i>Setting Array Variables Manually</i>	61
	<i>Creating Arrays with Named Properties</i>	62
	<i>Creating Arrays using Expressions</i>	62
7.2	Referring to Items within an Array	63
	<i>An Example using a List of Files</i>	63
	<i>Getting Values by their Key</i>	64
7.3	Mapping or Reshaping Arrays using Select	65
	<i>Collapsing Arrays to One Value</i>	65
	<i>Returning Multiple Columns with Renaming</i>	66
7.4	Intersection and Union	67
	<i>Overview of Final Answer</i>	67
	<i>The Union and Intersect Expressions</i>	68

8	GETTING DATA	Page
8.1	Sources Included in this Chapter	69
8.2	Getting Data from Excel	70
	<i>The Need for a Table</i>	70
	<i>Creating a Table</i>	70
	<i>Getting Data from an Excel Table</i>	71
	<i>Bonus: Listing Worksheets and Tables</i>	72
8.3	Getting Data from a SharePoint List	73
	<i>Getting SharePoint List Rows</i>	73
	<i>Showing the Correct Column Names</i>	74
8.4	Listing Files/Folders from OneDrive	75
8.5	Listing Emails from Outlook	76

9	ODATA	Page
9.1	What is OData?	77
9.2	The Need for OData	78
9.3	Using OData	79
	<i>Applying OData when Getting Data</i>	79
	<i>Sorting using OData</i>	79
	<i>Filtering using OData</i>	80
	<i>Combining Filters</i>	81
	<i>Testing for Null Values</i>	81
	<i>Filtering Dates</i>	81
9.4	Issues with Different Data Sources	82
	<i>Excel: Spaces in Column Names</i>	82
	<i>SharePoint: Lookup Columns</i>	82
9.5	Dynamic Filters	83
9.6	Experimental OData Features	84

TABLE OF CONTENTS (3 of 6)

10	HTML TABLES	Page
10.1	Overview	85
10.2	Basic HTML Tables	86
10.3	Emailing HTML Tables	87
10.4	Choosing HTML Table Columns	88
10.5	Formatting HTML Tables	89

11	APPLY TO EACH	Page
11.1	Our Example	90
11.2	Adding Apply to Each Manually	91
	<i>Getting an Array to Loop Over</i>	91
	<i>Creating an Apply to Each Action</i>	91
	<i>The Current Item</i>	92
	<i>Testing Apply to Each Loops</i>	92
11.3	Adding Apply to Each Automatically	93
11.4	Referring to the Current Item's Contents	94
	<i>Copying Visible Fields to Expressions</i>	94
	<i>Making Pasted Expressions Valid</i>	94
	<i>Creating your own Expression for a Row Item</i>	95
	<i>Using the Simpler Item() Syntax</i>	95
11.5	Applying Conditions within Loops	96
	<i>The Outline of our Flow</i>	96
	<i>Creating the Condition</i>	97
	<i>Building the Array of Film Titles</i>	97

12	EXPRESSIONS	Page
12.1	Overview	98
12.2	Text Functions	99
	<i>The Main Text Functions</i>	99
12.3	Text Functions Case Study	100
	<i>The Overall Flow</i>	100
	<i>The Variables Used</i>	101
	<i>Setting the List of Words</i>	101
	<i>Example Flow - Apply to Each Action</i>	101
	<i>Testing for Word Inclusion</i>	102
	<i>Adding the Found and Not Found Words</i>	102
	<i>Example Flow – Showing the Results</i>	102
12.4	Number Functions	103
	<i>Basic Mathematical Operator Functions</i>	103
	<i>Other Mathematical Functions</i>	103
	<i>Conversion Functions</i>	103
12.5	Date Functions	104
	<i>Date Formats and Timestamps</i>	104
	<i>Getting Dates</i>	104
	<i>Manipulating Dates</i>	105
	<i>Getting Parts of Dates</i>	105
12.6	Collection/Array Functions	106
	<i>Inspection Functions</i>	106
	<i>Joining and Splitting</i>	106
	<i>Picking Items</i>	107
	<i>Ordering Arrays</i>	107
	<i>Set Operations</i>	107
12.7	Comparison Functions	108
	<i>Conditional IF Function</i>	108
	<i>Testing for Equality or Inequality</i>	108
	<i>Combining Conditions</i>	108

13	INPUTS AND TRIGGERS	Page
13.1	Our Example	109
13.2	Creating a Flow with Inputs	110
	<i>Dropdown Inputs</i>	110
13.3	Using Inputs in a Flow	111

14	TRACKED PROPERTIES	Page
14.1	Tracked Properties	112
	<i>Adding Tracked Properties</i>	112
	<i>Referring to Tracked Properties</i>	113
14.2	Case Study – Timing Actions	114
	<i>Our Final Flow</i>	114
	<i>Initialising the Variables</i>	115
	<i>Showing the Elapsed Time</i>	115

TABLE OF CONTENTS (4 of 6)

15	ERROR HANDLING	Page
15.1	Try / Catch / Finally Blocks	116
15.2	Configuring Run After Actions	117
15.3	Implementing Error Handling – a Case Study	118
	<i>Our Example Error</i>	118
	<i>Summary of Proposed Flow</i>	119
	<i>Step 1 – Getting the Results</i>	120
	<i>Step 2 – Filtering the Results Array</i>	121
	<i>Step 3 – Picking out the Columns of Interest</i>	121
	<i>Step 4 – Presenting an HTML Table</i>	122
	<i>Step 5 – Sending a Notification Email</i>	122
	<i>Step 6 – Creating a Link back to our Flow</i>	123

16	SUBFLOWS AND SOLUTIONS	Page
16.1	Our Example	124
16.2	Creating Solutions	125
16.3	Creating your Child Flow	126
	<i>Step 1 – Asking for Inputs</i>	126
	<i>Step 2 – Completing the Child Flow</i>	127
	<i>Step 3 – Sending Back a Response</i>	127
	<i>Step 4 – Saving your Child Flow</i>	127
	<i>Step 5 – Changing Connection Permissions</i>	128
16.4	Creating the Parent Flow	129

17	ADAPTIVE CARDS	Page
17.1	What are Adaptive Cards?	130
17.2	Our Example: a Drinks Order Form	131
17.3	The Structure of Adaptive Cards	132
17.4	Creating an Adaptive Card	133
	<i>Step 1 – Loading the Adaptive Card Designer</i>	133
	<i>Step 2 – Create a New Card</i>	133
	<i>Step 3 – Choose a Host App</i>	134
	<i>Step 4 – Choose a Target Version</i>	134
	<i>Step 5 – Add your Elements</i>	135
	<i>Step 6 – Give Input Elements Ids</i>	136
	<i>Step 7 – Add an Action to your Card</i>	136
	<i>Step 8 – Apply Validation to Input Elements</i>	137
	<i>Step 9 – Copy your Card's JSON</i>	137
17.5	Posting Adaptive Cards in your Flow	138
	<i>Creating the Post Action</i>	138
	<i>Choosing where to Post your Card</i>	138
	<i>Pasting in the Card</i>	139
	<i>Viewing the Results</i>	139
	<i>Getting the Card Inputs</i>	140
17.6	Some Additional Ideas	141
	<i>Showing the Weekday in the Title</i>	141
	<i>Hiding the Sugar Choice Initially</i>	142

18	APPROVALS	Page
18.1	Our Example	143
18.2	Building a Flow Diagram	144
18.3	How the Approval Process Works	145
18.4	Building the Approval Flow	146
	<i>Step 1 – Creating the Trigger</i>	146
	<i>Step 2 – Request Approval</i>	146
	<i>Step 3 – Adding a Condition</i>	147
	<i>Step 4 – Processing Rejections</i>	148
	<i>Step 5 – Processing Approvals (Part One)</i>	149
	<i>Step 6 – Processing Approvals (Part 2)</i>	150
18.5	Managing Approvals	151
	<i>Managing Approval Expiry</i>	151
18.6	Custom Responses	152
	<i>Choosing to Set Custom Responses</i>	152
	<i>Testing the Different Responses</i>	153

TABLE OF CONTENTS (5 of 6)

19	SCHEDULING FLOWS	Page
19.1	Our Example Scheduled Flow	154
19.2	Creating a Scheduled Flow	155
	<i>Starting a New Scheduled Flow</i>	155
	<i>Turning a Normal Flow into a Scheduled One</i>	156

20	SPEEDING UP FLOWS	Page
20.1	Speeding Up Apply to Each Loops	157
	<i>Our Example Flow</i>	157
	<i>Changing Concurrency Settings</i>	158
20.2	Pagination	159

21	TEAMS	Page
21.1	Teams Triggers and Actions	160
21.2	Our Example – Listening for Keywords	161
	<i>What the Flow will Do</i>	161
	<i>Top-Level Flow Diagram</i>	162
21.3	Creating our Example Flow	163
	<i>Step 1 - Setting the Trigger</i>	163
	<i>Step 2 - Getting the Keyword Message's Details</i>	164
	<i>Step 3 – Posting the Notification Message</i>	165
21.4	Testing our Flow	166

22	FORMS	Page
22.1	Overview of Forms	167
	<i>Creating Forms</i>	168
22.2	Adding Questions	169
	<i>The Types of Question Sections</i>	169
	<i>Letting Users Upload Files</i>	170
	<i>Images and Videos</i>	171
	<i>Branching</i>	172
22.3	Testing and Distributing your Form	173
	<i>Previewing a Form</i>	173
	<i>Changing Form Settings</i>	173
	<i>Saving your Form</i>	174
	<i>Distributing your Form via a Web Link</i>	174
	<i>Generating QR Codes and Embed Codes</i>	175
22.4	Viewing Responses	176
22.5	Other Things to Try with Forms	177
	<i>Using Other Apps such as Excel</i>	177
	<i>Applying Styles</i>	177
22.6	Responding to Form Events in a Flow	178
	<i>Creating the Trigger</i>	178
	<i>Getting the Form Response</i>	179
	<i>Showing Individual Answers</i>	179

23	POWER BI DESKTOP FLOWS	Page
23.1	Our Example	180
23.2	Limitations of Power BI Flows	181
23.3	Creating a Power Automate Button	182
	<i>Step 1 – Create a Report in the Right Environment</i>	182
	<i>Step 2 – Creating the Button</i>	182
	<i>Step 3 – Assigning Data Fields</i>	183
	<i>Step 4 – Start Editing your Flow</i>	183
	<i>Step 5 – Add Actions (and Data)</i>	184
	<i>Step 6 – Saving and Applying your Flow</i>	185
	<i>Step 6 – Formatting your Button</i>	185
	<i>Step 7 – Test your Button</i>	185
23.4	Editing Power BI Flows in Power Automate	186

TABLE OF CONTENTS (6 of 6)

24	POWER APPS FLOWS	Page
24.1	Our Example	187
24.2	Creating the Power App	188
24.3	Creating the Power Automate Flow	189
	<i>Step 1 – Responding to our App</i>	189
	<i>Step 2 – Getting the Number of Films</i>	189
	<i>Step 3 – Adding your Film</i>	190
	<i>Step 4 – Returning to Power Apps</i>	190
24.4	Calling the Flow from Power Apps	191
	<i>Adding a Flow into an App</i>	191
	<i>Calling your Flow</i>	191
	<i>Updating the Film Count</i>	192
	<i>Running your App</i>	192
24.5	Things which Can Go Wrong	193
	<i>Refreshing your Flow</i>	193
	<i>Checking your Environments</i>	193


25	SHAREPOINT LISTS	Page
25.1	About SharePoint Lists	194
25.2	Working with SharePoint Lists	195
	<i>Creating a New List</i>	195
	<i>Renaming the Title Column</i>	196
	<i>Adding/Editing List Data</i>	196
	<i>Creating Choice and Lookup Columns</i>	197
25.3	Internal SharePoint List Column Names	198
	<i>Finding Column Names in Power Automate</i>	198
	<i>Finding Column Names in SharePoint</i>	198
25.4	Referencing Choice and Lookup Columns	199

26	PLANNER	Page
26.1	Triggers and Actions	200
26.2	An Example – Listing Tasks	201
	<i>Our Example Flow</i>	201
	<i>The List Tasks Action</i>	201
	<i>Getting the Task Details</i>	202
	<i>Testing your Flow</i>	202


CHAPTER 1 - GETTING STARTED

1.1 What is Power Automate?

Power Automate (PA) used to be called Microsoft Flow (Microsoft renamed it in 2019). PA allows you to create flows (series of saved instructions) online:



Flows can connect to literally hundreds of cloud-based services – here is a small sample:




If you commit to using Power Automate, you are trusting your data, business processes and probably career to Microsoft and the Internet: if your web connection should happen to go down or Microsoft's servers fail, there won't be much that you can do!

1.2 Power Automate vs Power Automate Desktop

Microsoft (confusingly, if typically) market two software products whose names include **Power Automate**:


Software	Runs in	What it does	Typical use cases
<i>Power Automate</i>	The cloud	Automates a series (or <i>flow</i>) of instructions to run on Microsoft's servers, under your account.	Collating the results of an online survey, emailing notifications when someone posts a comment in Teams, capturing social media updates in an online database.
<i>Power Automate Desktop</i>	Your desktop	Automates a series (or <i>flow</i>) of instructions to manipulate data on your own computer.	Collating data in Excel workbooks, logging attachments sent in emails, submitting website forms, running backup routines.

Here's what a *Power Automate Desktop* flow looks like:



This flow starts an Excel application and then announces that it's ready for use.

Power Automate and Power Automate Desktop were written by different companies (Microsoft bought *SoftMotive*, authors of Power Automate Desktop, in May 2020) and are different products.



Confusingly, while Power Automate Desktop runs on your desktop it too stores its flows in the cloud (in your online Microsoft account). You can run Power Automate Desktop flows from Power Automate, but the converse isn't true.

1.3 Licensing Requirements

Most users of Power Automate will begin with an Office 365 licence. This allows you to do the following:

Capability	With an Office 365 licence you can ...
<i>Run flows</i>	... create and run automated, scheduled and manually triggered flows (that is, most of the flows you are likely to want to run).
<i>Use standard connectors</i>	Use any of the connectors described as <i>Standard</i> by Microsoft. These include Azure Active Directory, Dropbox, Excel online, GitHub, Gmail, Google apps, LinkedIn, Microsoft Forms, Office 365, Outlook, Pinterest, Power Apps and Power BI, Slack, SharePoint, Teams, WordPress and YouTube.
<i>2,000 platform requests per day</i>	During an initial transition period (lasting 6 months or more), you will be allowed up to 10,000 requests per day. The limit is applied on a rolling 24-hour basis. If you exceed your limit you will need to go to another plan (see below).

Here are some of the main things NOT included in this licence:

What	Notes
<i>Premium connectors</i>	To connect to connectors designated as premium by Microsoft, you will need any standalone plan (that is, anything except an Office 365 licence). Premium connectors include ArcGIS, most Azure services, most Dynamics service (for which you can buy a specialist licence), Map Pro, Microsoft Dataverse, MySQL, Oracle, Ordnance Survey Places, Salesforce, SAP, Stripe, Word Online and Zoom Meetings.
<i>Business process flows</i>	For example, you can create a business process flow to ensure that everyone in an organisation follows the same steps every time they handle a customer request. This courseware doesn't consider business process flows, and neither (Wise Owl suspect) will most customers.
<i>Custom connectors</i>	If you can't find a connector for your service, you can create your own with a custom API wrapper.
<i>On premises gateways</i>	These let you build a bridge between a Microsoft cloud service such as Power Automate and a data source in your organisation (such as a SQL Server database).
<i>Robotic process automation</i>	This allows you to build a flow to mimic the keyboard actions and mouse movements of a human user (for example, to fill in a website form), usually using Power Automate Desktop.
<i>AI builder capacity</i>	You can use AI to build and train AI models to make predictions based on your data. The AI builder has its own licensing rules!

To use premium or custom connectors or on-premises gateways you will probably need to buy one or more separate per-flow or per-user Power Automate licence plans.




If there's not enough detail in this section, you can always search for the phrase "Microsoft Power Apps, Microsoft Power Automate and Microsoft Power Virtual Agents Licensing Guide" and download the 34-page PDF this leads to.

1.4 Logging on to Power Automate


If you are using a 365 licence to access Power Automate, one reliable way to log in is via the 365 home page:

a) Type in the phrase **365 login** into your favourite search engine.



b) Choose to go to the 365 log-in page (although this says **Office**, officially Microsoft's suite of productivity software is now just called 365).

c) Click on this icon in the top left corner (Microsoft call it the *waffle*).



d) Choose to run Power Automate: it will open in a new window.



Alternatively, just visiting the website powerautomate.com also seems to work, although after the website loads a longer URL may appear in your browser's address bar.

1.5 Environments and Flows


Before listing flows you (or someone else) has created in Power Automate it's vital to make sure you're in the right *environment*.


Choosing an Environment

You can think of environments as different folders in your little bit of the Microsoft cloud. Here's how to change your environment:

Click on this area at the top right corner of Power Automate to see (and change) your environments.

Often your organisation will have one environment for development and one production environment, although here this training account only has access to one environment, so there's nothing to choose.






Each environment sits on its own tenant (think of this as a space you've leased from Microsoft on some central server). To move a flow that you've created from one environment (tenant) to another is a non-trivial process: you have to export it from the first environment and then import it into the second.

Listing Flows

Once you've chosen your environment, you can see the flows it contains:

Click on this menu option on the left-hand side ...


... to see the cloud flows or desktop flows that you've created (or the flows colleagues have shared with you).



CHAPTER 2 - WORKING WITH FLOWS

2.1 Creating Flows

Follow these steps to create a new flow:




a) Click on this menu to create a new flow.

b) Choose the type of flow to create (see notes below for what each means).

Alternatively, click on the arrow next to the **New flow** button when listing your flows, and choose which one you want to create.

c) Give your flow a name. Avoid punctuation: although you can create flows whose names include characters like `[]`, they will crash when you try to run them!

d) For the examples in this chapter the only way to run our flows will be manually.



The 4 main types of flow that you can create are shown overleaf.

Types of Flow

PA lists 4 main types of flow, but the first two are the ones which most people will choose:


Type of flow	Description
<i>Automated cloud flow</i>	Any flow which begins when something happens. Triggers can include comments being added to Teams discussions, emails being received or items being added to SharePoint lists (to choose just 3 examples).
<i>Instant cloud flow</i>	When you're testing a flow (or learning PA) this is the best flow type to choose, since you can test it in isolation without having to trigger an event first.
<i>Scheduled cloud flow</i>	When you create a scheduled flow you'll be asked to say when it should run (every week at 10am, for example, or every 10 minutes throughout the day).
<i>Desktop flow</i>	This will launch Power Automate Desktop, the subject of a different Wise Owl training course (and manual!).



*The easiest thing to do, Wise Owl have found, is to create either an automated or instant cloud flow, but then click on the **Skip** button to miss out the stage where you choose the initial trigger. This will bring up a blank flow, and you can then choose which trigger you want to use more easily.*

Adding Steps (Actions)

You can add actions to your flow as follows:



To insert a new step click on the **+** sign between two steps, then choose to add an action ...

... or click on this button to add a new action to the bottom of your flow.

Configuring an Action

Here's how to say what any added action should do:

a) Type in what you want to do in part (this is by far the easiest way to choose what action you want to add).

b) Choose the action which best describes what you're trying to do.

c) You can now configure the action (here to say what the subject and body of the email you're sending will be).

Send an email (V2) 1

Parameters Settings Code view Testin

To *

Delegate79 X

Enter part of a name or email address to find n

Subject *

Don't forget to feed the office cat!

Body *

Normal Arial 15px

Olly has been miaowing incessantly - please

Add an action

send

Runtime

Select a runtime

Group by Connector

Office 365 Outlook

Send an email (V2)


Send email with options

Send an email from a shared mailbo

Notifications


Send me an email notification

d) Click anywhere on the background of your flow to return to normal view.




Expanding and Collapsing the Action Bar

You can show and hide the panel on the left of Power Automate showing the details of actions as follows:




Click on this symbol to hide the side panel ...


... and on this icon (which seems to lack a tooltip) to redisplay it.





Adding Dynamic Content


When adding a step, PA will always offer up any information that it knows about for inclusion – this is called *dynamic content*. To add this to any action:




a) Click where you want to insert something, type a  character and choose to insert dynamic content as shown. Alternatively you can click on this symbol:




b) If you can't see the dynamic content that you want to add, click on **See more** to see a full list of what's available.



c) Click on what you want to add (here it's the current date). PA will add this in at your cursor position:



d) If you want to scare yourself you could hover over the dynamic content to see the expression that PA has inserted. Much more on this later in the courseware!




Finding Parts of a Flow

These icons at the bottom left corner of the screen make it easy to find your way round your flow:

Here's what each icon does:

Icon	What it does
	Zooms in and out.
	Fits your flow to fill your current screen.
	A quick way to search for a particular action in your flow.
	Displays a map of your flow – you can use your mouse to drag round this to view different parts of your flow.





You can also hold down the **Ctrl** key and use your mouse wheel to zoom in and out, as is standard in many Windows applications.

Saving your Flow

PA will save your flow automatically at regular intervals, but you can save changes manually too:

Click on this button at the top right of your PA screen to save your current flow.



Exiting Flows


When you've finished working with a flow, here's how to leave it:

Click on this button to return to the Power Automate home screen. If you haven't recently saved your changes, you may see this message:

make.powerautomate.com says

If you leave this page, you will lose all changes since your last save.

Are you sure you want to leave this page?



2.2 Testing and Running Flows

Testing Flows

One way to test a flow is to do whatever triggers it (whether this be sending an email, adding a comment or whatever). However, you can also test and run instant flows as follows:

a) Click on this button to test the flow you're editing.

b) Choose to test your flow (see overleaf under re-testing flows for what **Automatically** means).

c) If your flow is using any connections to other services, you'll be asked to check that these are set up OK (here the tick means we're good to go).

d) You can now choose to run this flow.

e) When you choose to confirm that you want to run the flow as below, you'll see green ticks appearing next to each completed action:


f) Click on this button to go back into editing your flow.

g) The result of running this flow: after a short while this email will appear in your inbox, together with the delivery date we added as dynamic content.

Re-testing Flows

Once you've run a flow once, there's a different way to test it:


When you click on the button to test your flow you'll see a list of all the previous occasions on which it's run. You can choose any of these to re-run the flow using the same starting conditions.



Running Flows


Another way to run a flow is after you've saved it:

Click on this play button to run a flow from your list.




Checking Flows


The **Flow checker** button at the top right of PA allows you to see if a flow makes syntactical sense:



Click on this button to check the syntax of a flow.




For a simple flow like our basic one it's unlikely there would be any syntax problems!




When you run a flow, PA automatically invokes the flow checker anyway, so checking flows manually probably isn't that important.

2.3 Viewing and Editing Flows

Click on the name of a flow to view it, or the pencil button to edit it:



You can click on the pencil symbol to go directly to editing the flow ...



... but if you click on the name of the flow you'll view the flow's details as shown below instead.

Here's what you'll see if you view the details for a flow:

Details about this flow (who created it and when, and what type of flow it is).

A list of the connections used by this flow.

Flows > Simple flow to send email

Details Edit

Flow	Simple flow to send email	Status	On
Primary owner	Delegate79	Created	Nov 8, 11:13 AM
		Modified	Nov 8, 11:13 AM
		Type	Instant
		Plan	The user who runs the flow

Connections Edit

Office 365 Outlook Permissions Delegate79@...

28-day run history Edit columns All runs

Start	Duration	Status
Nov 8, 11:14 AM (14 min ago)	688 ms	Test succeeded

Flow runs error tr... [Go to Automation...](#)

This flow is not a solution cloud flow.

Only solution cloud flows with their definitions in Dataverse, can see their run history stored in Dataverse.

[Learn more](#)

Process mining (preview) [Improve](#)

A history of when the flow has been run (once only for this flow, taking less than a second and ending successfully)..

You can scroll down to see various other bits of information, depending on what type of licence you have, whether you've shared your flows and other factors.

2.4 Improving Flow Readability

There are two ways to make your flows easier to read: renaming actions and adding *notes*.



If any users of the classic Power Automate flow designer are wondering where comments have gone – so do we! Comments are one of a few features not (yet?) supported in the new flow designer.

Renaming Actions

Renaming actions makes it easier to see what your flow is doing:

a) Click on the action that you want to rename, to select it.

b) Click on the name to edit it and type in the new name. Weirdly, you don't press **Enter** to confirm this – just click back in your flow.

c) Giving actions better names like this will make your flows much easier to read.




The downside of this? Many expressions that you create in PA refer to actions by name. The longer your action names are, the longer (and more cumbersome) your expression formulae will be!


Adding Notes

Notes explain what actions are doing:

If you see this symbol for an action you can hover over it to see the attached note.




To add a note to an action:



a) Click on these 3 dots and choose **Add a note** from the dropdown menu which appears.

b) Type in your note against this action.




2.5 Working with Flows

This section shows some other ways in which you can work with flows.


Viewing Actions' Code

If you want to see what an action in your flow is really doing you can view its underlying code:




While editing an action click on this tab ...

... to see the JSON underlying the action (the rest of this courseware will explain much more about this!).




Disabling Flows (but not Actions)

If you don't want a flow to run, but want to keep it in your list, turn it off:w



Click on the 3 dots next to a flow's name and choose **Turn off**. Disabled flows appear with a lighter background:



To turn a flow back on again choose the same menu option (which will now say **Turn on**).



*There is no way to disable a single action within a PA flow (more's the pity); only complicated workarounds. The main one is to use the **Testing** tab for an action to enable a static result; although this isn't covered in this courseware.*

Copying Actions

If you have an action which you may want to repeat, copy it to the PA clipboard:

a) Right-click on any action to copy it.

b) Right-click on one of the + symbols and choose to paste this action.

c) PA will automatically give your copied action a different name (action names must be unique within PA flows).

Copying Flows

To copy a flow, choose to save it as another name:

a) Click on the 3 dots to the right of a flow's name and choose to save it as another name.

b) Type in a new name for your flow, then choose to save this.

c) PA creates the copy of your original flow, and sensibly ensures it is turned off by default.

Deleting Flows

Sadly you have to delete flows one at a time (there is no easy way to select more than one flow at the same time, although see the hint below).

a) Click on the 3 dots to the right of a flow's name.

b) Choose to delete this flow.




































The screenshot shows the 'Flows' management page in Microsoft Power Automate. At the top, there are tabs for 'Cloud flows', 'Desktop flows', and 'Shared with me'. Below the tabs is a table of flows with columns for 'Name' and 'Modified'. Two flows are listed: 'Simple flow to send email' (modified 10 min ago) and 'My first flow'. A context menu is open for the 'Simple flow to send email' flow, showing options: Run, Edit, Share, Save As, Send a copy, Export, Run history, Analytics, Turn off, Repair tips off, Delete, and Details. The 'Delete' option is highlighted. Two callout boxes provide instructions: 'a) Click on the 3 dots to the right of a flow's name.' and 'b) Choose to delete this flow.'



You can connect to Power Automate Management to delete all of your flows, as described in the following Wise Owl blog, but it's not for the faint-hearted:

<https://www.wiseowl.co.uk/blog/s3156/delete-flows.htm>

What we do!

		Basic training	Advanced training	Systems / consultancy
Office	Microsoft Excel			
	VBA macros			
	Office Scripts			
	Microsoft Access			
Power BI, etc	Power BI and DAX			
	Power Apps			
	Power Automate (both)			
SQL Server	SQL			
	Reporting Services			
	Report Builder			
	Integration Services			
	Analysis Services			
Coding	Visual C#			
	VB programming			
	MySQL			
	Python			



WiseOwl
Training

